

### Power Whips

#### Applications:

- |                        |                |
|------------------------|----------------|
| Air conditioners       | Refrigeration  |
| Heat Pumps             | Hot tubs       |
| Mini-Split A/C systems | Swimming Pools |
| Lighting               | Spas           |
| Pumps                  | Miscellaneous  |



Part #	Conduit Size	Length	Amps	Power Wire	Connector
W-NM50-6	1/2"	6'	30	#10 MTW	Non-Metallic
W-ME50-6	1/2"	6'	30	#10 MTW	Metallic
W-NM75-6	3/4"	6'	40	#8 MTW	Non-Metallic
W-ME75-6	3/4"	6'	40	#8 MTW	Metallic
W-NM50-4	1/2"	4'	30	#10 MTW	Non-Metallic
W-ME50-4	1/2"	4'	30	#10 MTW	Metallic
W-NM75-4	3/4"	4'	40	#8 MTW	Non-Metallic
W-ME75-4	3/4"	4'	40	#8 MTW	Metallic

(all ground wires are #10 MTW)

#### Specifications:

- Made with UL and cUL listed components
- Intended for 208/240/480VAC Single Phase Circuits
- Liquidtight flexible nonmetallic conduit
- MTW stranded conductors provided with 12" conductor leads (1/2" stripped)
- Straight and 90-degree connectors included with each whip package
- Max operating temperature 160F (75C)
- 2 Conductors with Ground (3 wires)
- 1/2" supplied with 1- RED #10, 1- BLACK #10 and 1- GREEN #10 MTW wires
- 3/4" supplied with 1- RED #8, 1- BLACK #8 and 1- GREEN #10 MTW wires